September 2017









Caroline Dufaure de Citres Collaboration with Benoit Hédan

Anne Thomas / Catherine André

HSIMS

Histiocytic Sarcoma Index Mate Selection

Tool for breeders to obtain the statistical distribution of the A, B or C indexes in the litter for one specific mating.







- The research selected **9 markers** linked to to the risk to develop and give the histiocytic sarcoma
- Validation of the interest of these markers done on 1081 BMDs, most of them were French







• 1 marker = 3 possibilities



11



12



22







• Set up of a statistical index based on 9 markers



11 11 11 11 11 11 11 11 11



12 12 12 12 12 12 12 12 12



22 22 22 22 22 22 22 22 22







• Set up of a **statistical index** based on 9 markers : 3 possible results (A,B or C)



11 11 11 11 11 11 11 11 11



Index A



12 12 12 12 12 12 12 12 12



Index B



22 22 22 22 22 22 22 22



Index C







Selection tool for the breeders to decrease the histiocytic sarcoma frequency in the BMD breed.

What is the proportion of the different indexes in a litter according to the mating?







Study of litters

• In collaboration with the French Club AFBS, the CNRS team and Antagene, 112 puppies from 18 litters were tested.

• Results:

- Matings with at least one C parent have more puppies with C index.
- Matings with at least one A parent have more puppies with A index.
- Exceptionally, A puppies may occur with a C x C mating
- Exceptionally C puppies may occur with a A x A mating.








Study of litters

• 2 matings with identical indexes on parents may produce litters with a different distribution of indexes.



The compatibility varies between the sire/dam dogs.







Is it possible to predict the compatibility between a sire and a dam?







Is it possible to predict the compatibility between a sire and a dam?

Is it possible to predict the index distribution in a litter according to the mating?







- Histiocytic Sarcoma Index Mate Selection
- = Tool for mating selection according to the SH index of the parents.








- Histiocytic Sarcoma Index Mate Selection
- = Tool for mating selection according to the SH index of the parents



12 22 11 12 12 22 11 12 12



22 12 12 11 22 12 11 12 12




Up to **20 000** possibilities for 1 mating







- Histiocytic Sarcoma Index Mate Selection
- = Tool for mating selection according to the SH index of the parents




• • •







- Histiocytic Sarcoma Index Mate Selection
- = Tool for mating selection according to the SH index of the parents









- Histiocytic Sarcoma Index Mate Selection
- = Tool for mating selection according to the SH index of the parents

Selection tool allowing to **statistically** calculate on the progenies the probabilities to obtain A, B or C index **for a given mating**.

The result of the HSIMS tool is strictly specific for each considered couple.







- To select matings which would produce the best indexes statistically.
- To choose the best partner for your dog
- To find the best mating for your BMD who has a C index.
- To avoid « at risk » matings








• To select matings which would produce the best indexes statistically.

Matings selected without HSIMS














 To select matings which would produce the best indexes statistically.

Matings selected without HSIMS

Matings selected with HSIMS















 To select matings which would produce the best indexes statistically.

Matings selected without HSIMS

Matings selected with HSIMS








The second mating seems better







• To choose the best partner for your dog




The second choice must be avoid The first or third choice is up to the breeder, his selection work regarding other criteria such as behaviour, health, morphology.







• To find the best mating for your BMD who has a C index.




The mating with the second dog should be favoured







• To avoid « at risk » matings



The breeder should favor another mating.







HSIMS: in practice

- To use HSIMS, both male and female must have been SH tested.
- International database with direct access for worldwide BMDs breeders
- o Confidentiality on the index of the SH test
- o Individual and reversible authorisation for each dog
- Result property: restricted use: at least one dog of the tested mating has to be owned by the user.







HSIMS: how does it cost?

- Important cost for all the parts to do research and to build the SH test.
- Development of a web interface and a database HSMIS compatible with the user expectations.
- Looking for **financing** to achieve the HSIMS computing development and to offer this tool **for free**, as everybody wishes.







HSIMS: What was done?

 Index calculation development: creation of a mathematical formula in order to define all the indexes resulting of a mating between two dogs tested for HS







HSIMS: What was done?

- o Index calculation development.
- Validation of the formula: formula validity checking upon real data.







HSIMS: What was done?

- o Index calculation development.
- o Validation of the formula.
- Website specification: descriptions of the necessary units in order to fill out all the functioning conditions for the HS tested Bernese Mountain Dogs breeders and owners.







HSIMS: What is left to be done?

o Website development.







HSIMS: What is left to be done?

o Website development.

In order to guarantee a free use of HSIMS by the breeders, we ask all the Bernese Mountain Dog clubs around the world to support financially the website developing costs and so, allowing the availability of this tool via Internet.







Contacts:

Caroline DUFAURE de CITRES cdufauredecitres@antagene.com
Anne THOMAS athomas@antagene.com

ANTAGENE www.antagene.com

Benoit HEDAN benoit.hedan@univ-rennes1.fr

Catherine ANDRE catherine.andre@univ-rennes1.fr

Equipe génétique du Chien

UMR6290 – université de Rennes - CNRS

